

Section 1. Identification

Product identifier

Product Identity

Seplife® 4AG Bu/90

Relevant identified uses of the substance or mixture and uses advised against

Ion Exchange, Adsorbent, and/or catalyst.

Details of the supplier of the safety data sheet

Company Name	Sunresin New Materials Co. Ltd. No.135, Jinye Road, Xi'an Hi-tech Industrial Developmen Zone, Shaanxi, 710076, China	
24 hour Emergency Telephone No.	0086-29-86691600	
Customer Service Email Address	0086-29-86691600 info.lifescience@sunresin.com	

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid, category 3;H226

Flammable liquid and vapor.

Label elements





Warning

H226 Flammable liquid and vapor.

[Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P235 Keep cool.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves, eye protection, and face protection.

[Response]

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals. This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ethanol	14 - 19	Flammable Liquid, category 2;H225	
CAS Number: 64-17-5			
Synonyms: Ethyl Alcohol			
	1	1	1

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview No chronic toxicity or long term toxicity information available. Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

> Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.



Keep away from heat, sparks, open flames, and other ignition sources - No smoking.Keep container tightly closed.Keep cool.Ground, bond container and receiving equipment.Use explosion-proof electrical, ventilating, light, equipment.Use only non-sparking tools.Take action to prevent static discharges.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

128

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage. See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities Incompatible materials: Not available



See section 2 for further details. - [Storage]

Specific end use(s) Not available

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

CAS No.	Ingredient	Source	Value
64-17-5	Ethanol	OSHA	1000 ppm, 1900 mg/m
ACGIH	1000 ppm		
NIOSH	TWA 1000 ppm (1900 mg/m)		

Exposure controls	
Respiratory	If workers are exposed to concentrations above the exposure limit they must use
	the appropriate, certified respirators.
Eyes	Protective safety glasses recommended
Skin	Avoid skin contact. Protective gloves recommended.
Engineering	Provide adequate ventilation. Where reasonably practicable this should be
Controls	achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor
	below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State	Liquid
Color	White to yellow
Odor	Alcohol-like. [Slight]
Melting point / freezing point	Not available
Initial boiling point and boiling range	Not available
Flammability (solid, gas)	Not Applicable



Safety Data Sheet Seplife® 4AG Bu/90

Upper/lower flammability or explosive limits

Flash Point
Auto-ignition temperature
Decomposition temperature
pH
Viscosity (cSt)
Solubility in Water
Partition coefficient n-octanol/water (Log Kow)
Vapor pressure (Pa)
Relative Density
Vapor Density
Evaporation rate (Ether = 1)
Oxidising properties
Explosive properties
Density

Lower Explosive Limit: Not available Upper Explosive Limit: Not available 40-45°C, Test method: (Close cup) Not available Not available 6-8 Not available Not available

Other information

No other relevant information.

Section 10. Stability and reactivity

Reactivity

No specific test data related to reactivity available for this product or its ingredients. Chemical stability Stable under normal circumstances. Possibility of hazardous reactions Hazardous reaction has not been reported. Conditions to avoid Avoid high temperatures and contact with incompatible material Incompatible materials Strong oxidizing agents. Acid Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated



occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Ethanol - (64-17-	10,470.00, Rat - Category:	17,100.00, Rabbit - Category:	124.70, Rat - Category:	No data	No data
5)	NA	NA	NA	available.	available.

Carcinogen Data

CAS No.	Ingredient	Source	Value
64-17-5	Ethanol	OSHA	Regulated Carcinogen: No;
NTP	Known: No; Suspected: No;		
IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No;		
ACGIH	A3		

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

Possible routes of entry: Not available

Symptoms and effects, both acute and delayed:



No chronic toxicity or long term toxicity information available. Treat symptomatically.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/L	mg/L	mg/L
Ethanol - (64-17-5)	15,400.00, Lepomis macrochirus	> 10,000, Daphnia magna	17.92, Ulva pertusa

Persistence and degradability

There is no data available on the preparation itself. Bioaccumulative potential Not available Mobility in soil Not available Results of PBT and vPvB assessment This product contains no PBT/vPvB/vPvM chemicals. Other adverse effects Not available

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

Section 14. Transport information





Safety Data Sheet Seplife® 4AG Bu/90 **Revision Date: 03/03/2025**

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	Not regular	Not regular	Not regular
UN proper shippin	lg		-
name			
Transport hazard			
class(es)			
Packing group			
Environmental haz	zards		

Marine Pollutant: No; Special precautions for user Not available

	Section 15. Regulatory information
Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0000064-17-5	Ethanol	Yes		ACTIVE

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Ethanol

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Note: Ethanol (Ethyl alcohol) has been placed on the California Proposition 65 Cancer and Developmental Lists when in alcoholic beverages.

Section 16. Other information

Revision Date Revision Number

03/03/2025 01

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

The information provided in this safety data sheet is based on current knowledge about the product and current legal requirements and standards.Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

End of Document